



#### **General Setup Instructions**


- Read entire setup instruction manual prior to unpacking parts and pieces.
- The setup instructions are created specifically for this configuration.
- Setup instructions are laid out sequentially in steps, including exploded views with detailed explanation for assembly.


#### **Cleaning & Packing**

- For Cleaning Metal, Plex, & Laminate Parts: Use a **MILD NON-ABRASIVE** cleanser and soft cloth/paper towel to clean all surfaces.
- Keep exhibit components away from heat and prolonged sun exposure.
  Heat and UV exposure will warp and fade components.
- Retain all provided Packing Materials. All provided packing materials are for ease of repacking & component protection.

#### Disassembly


- For loss prevention, tighten all set screws and locks during disassembly.









Part Identification - Numbering





Base Plate & Extrusion Connection



Extrusion & Lock Connection

Engaged Lock







## WARNING

#### DO NOT USE POWER TOOLS


#### LADDERS OR LIFTS MAY BE REQUIRED


#### ALL CONNECTIONS MUST BE TIGHTLY SECURED



© 2024


#### Top View of Each Level







#### Top View of Each Level




Lights

Graphics



#### 

#### Top View of Each Level





#### Order #XXXXX Backwall Assembly

### **AERO**

#### Using Your Setup Instructions


The Aero Setup Instructions are created specifically for your configuration. The instructions include an exploded view of the frame which is sequentially labeled. We encourage you to review the instructions before attempting to assemble your exhibit.

Connections are kept very simple; no tools required. Everything assembles with push-button connectors.


#### **Cleaning and Packing Your Display**

1) Use care when cleaning aluminum extrusion or acrylic inserts. Use only non-abrasive cleaners.

2) Retain all packing material. It will make re-packing much easier and will reduce the likelihood of shipping damage.



Connections are made by holding the button down and sliding the red tube into opposing tube until button locks into the hole of the opposing tube. To disassemble, push button and pull or twist extrusions apart.




# 16 15 13

#### Steps:

- 1) Assemble aero pieces together in numerical order.
- 2) Apply pillow case graphic atop assembled aero frame.

(FD)

3) Attach base plates to aero frame using bolts.



**Order #XXXXX** Backwall Attachments

© 2024

